



GLASER
SAFETY SLUG, INC.

AMMUNITION
& ACCESSORIES

P.O. BOX 8223, FOSTER CITY, CA 94404 • 415-345-7677 • 800-221-3489 • FAX 415-345-8217

AMMUNITION

THE GLASER SAFETY SLUG introduced the "pre-fragmented" concept to ammunition in 1974 with its original flat nose bullet. Several design and performance charges later, Glaser introduced the round-nose bullet in 1987 to provide guaranteed feeding reliability.

First available with #12 shot (GLASER BLUE), #6 shot (GLASER SILVER) was introduced in 1993 for situations where the primary objective was penetration rather than ricochet protection. While the GLASER BLUE continues to provide unparalleled performance, penetrating the target with over 330 fragments (9mm/38), the GLASER SILVER penetrates the target 50% deeper with its 30 (9mm/38) much larger fragments. Both BLUE and SILVER have the same bullet weights, velocity and muzzle energy.

The core compression technology used in all GLASERS made since 1988 gives a unique dual advantage over other types of pre-fragmented ammunition. First, core compression creates a uniformly dense core which gives bullet stability. The result is target grade accuracy: the 9mm GLASER has produced groups of less than 1" at 100 yards (HK 94 carbine). Pre-fragmented bullets without core compression are inherently less accurate due to bullet instability caused by the unbalanced arrangement of shot in the core. The average shooter in a stress situation may shoot a 6" group at 15 yards (typical) with ammunition that has a 1" grouping capability. If the shooter then uses ammunition with a 6" grouping capability, the shot could miss the target by as much as a foot! The less accurate your ammunition, the lower the probability of hitting your target.

Secondly, core compression allows the maximum number of bullet fragments (read "stopping power") to be fit into the bullet. The 9mm GLASER BLUE penetrates with over **300** #12 size fragments while the 9mm GLASER SILVER delivers over **30** #6 size fragments to the target. If target incapacitation simply required putting a hole in the target, large caliber round-nose bullets would have been a more successful design. Incapacitation requires target disfunction. You achieve this by delivering maximum bullet energy and/or maximum bullet fragments to the target, both of which result in target disfunction. With bullets of equal energy, the one delivering the greatest number of fragments to the target will cause the greatest amount of target disfunction and subsequent target incapacitation. Target disfunction equals target incapacitation because the more damage a target sustains, the less able it is to function.

Since its introduction in 1974, the Glaser has continued to gain acceptance among those with a need for the absolute best in defensive ammunition. Currently used internationally by private citizens, military and law enforcement, the GLASER naturally spawns imitators as well as detractors. Here are some **FACTS** about the GLASER:

RUMOR: The Glaser Safety Slug cannot penetrate heavy clothing, down vests, leather jackets, etc.

FACT: The Glaser was tested against injured, leather skinned animals (deer, horses, cows) during its development, with devastating results. It is a favored deer cartridge (308, 30-06) by some hunters. It was adopted by the largest state prison system in the U.S. (still in use) after successful test firings through heavy wool prison overcoats and bed mattresses. Most conventional hollow point ammunition will plug up with heavy clothing and fail to expand properly. A Glaser *has* been videotaped failing to fragment after passing through eight layers of flannel lined denim, two layers of leather and a wooden board. A person could not physically be clothed with eight flannel-lined denim shirts and two leather jackets, never mind the board. We are not sure what the test purported to demonstrate.

RUMOR: Since some Glasers only penetrate 4.5" they aren't effective against over 4" of clothing.

FACT: The Glaser only fragments on a target with a primarily liquid content (tissue). This is best demonstrated by a soda-pop can of water 6" in front of a board. The bullet fragments on the can and fails to penetrate the board. When the board is placed in front of the can, the bullet penetrates the board and fragments on the can of water. This tactical penetration is necessary for the Glaser to be an effective law enforcement round. The Glaser still provides better over-penetration protection than hollow-point or jacketed lead bullets in an urban environment.

RUMOR: The Glaser has a limited shelf life; the plastic tip falls apart and the shot falls out.

FACT: The Glaser is manufactured from the same virgin materials as other factory ammunition. The cartridge cases are factory primed and sealed. The tip is made of an inert plastic that is impervious to oil and most elements. The shelf life is no different than any other ammunition; we have tested 20 year old Glasers that still perform normally. All ammunition can become contaminated by gun oils and we caution against this on the packaging.

FACT: The Glaser has over 20 years of acceptance in the professional and private community. This is because it works! Do the people who spread rumors ever have any hard facts...or just rumors?

AMMUNITION

THE GLASER SAFETY SLUG is a high performance ammunition that gives superior penetration in solid (inanimate) targets while delivering maximum stopping power with minimum danger from over penetration and ricochet. A conventional 357 Magnum can ricochet up to 3/4 mile. The unique Glaser design uses a special thin wall jacket and precision-compressed lead shot core with a plastic tip. The patented construction prevents the bullet from breaking up on inanimate targets, but results in controlled disintegration on impact with live targets. The ballistic design of the bullet gives maximum effective range with target grade accuracy.

STOPPING POWER is maximized by (1) complete transfer of bullet energy to the target; (2) massive target disfunction caused by the more than 330 fragments (9mm/38/357 Blue).

MAXIMUM ENERGY is delivered by the optimum balance of bullet weight and velocity. Glaser loadings deliver unequaled muzzle energy with the best balance of penetration, unaffected by heavy clothing of any type.

ACCURACY of 1.5" at 15 yards (handgun) and 1.5" at 100 yards (rifle). The Glaser 9mm (H&K 94) and 223 (RUGER MINI 14) produce sub-minute of angle groups at 100 yards! This superior accuracy results from the precision compressed core bullet design which yields target grade tolerances.

RECOIL less than conventional high-performance ammunition, resulting in faster target acquisition in rapid fire sequences.

GLASER BLUE uses #12 shot to minimize ricochet danger.

GLASER SILVER uses #6 shot to maximize penetration.


Custom Scored Jacket
designed for controlled fragmentation
Round Nose Design
maximizes ballistic coefficient and effective range
Compressed Core
largest number of core fragments; uniform density guarantees target accuracy
Hardball Profile
plastic TIP guarantees feeding in all types of firearms

" With the exception of the Glaser Safety Slug, all handgun bullets studied pose a serious ricochet hazard to bystanders."
(U.S. Department of Justice, L.E.A.A., Para. H.6.).

ACCEPTANCE: The Glaser Safety Slug is the specialty ammunition choice of professional and private law enforcement worldwide. It contains no special chemicals and is manufactured from the same brass, copper and lead materials as other factory ammunition.

COMPLIANCE with SAAMI pressure specifications is guaranteed through stringent pressure and accuracy testing of every production lot. Functioning is guaranteed in all firearms.* The Glaser Safety Slug is guaranteed safe for use in all modern firearms in good condition.

AVAILABLE from your local Dealer/Distributor or call **800-221-3489.**

Available in the following calibers in BLUE; **bold type** indicates availability in **both** BLUE and SILVER.

	WT.	VEL.	M.E.	BARREL (inches)		WT.	VEL.	M.E.	BARREL (inches)
25 ACP	35	1150	103	2.5	**10MM**	**115**	**1650**	**695**	**5**
32 ACP	55	1300	206	3.5	**44 Special**	**135**	**1350**	**546**	**6**
380 ACP	**70**	**1350**	**283**	**3.5**	**44 Magnum**	**135**	**1850**	**1026**	**6**
9MM + P	**80**	**1650**	**484**	**5**	**45ACP+P**	**145**	**1350**	**587**	**5**
38 Super	**80**	**1700**	**513**	**5**	**45 Colt**	**145**	**1350**	**587**	**6**
38 Spec. Std.	**80**	**1500**	**400**	**6**	223	45	3450	1175	24
38 Spec. + P	**80**	**1650**	**484**	**6**	7.62x39	130	2300	1527	24
357 Magnum	**80**	**1800**	**575**	**6**	308	130	3000	2597	24
40 S&W	**115**	**1650**	**695**	**4**	30-06	130	3100	2774	24

Compare the muzzle energy for your current bullet using the following formula:
Velocity x Velocity x Bullet Weight (in grains), divided by 450,436 = Muzzle Energy (foot pounds)

* Desert Eagle requires recoil spring change

ACCESSORIES

CHEEKPIECES

COLT "DELTA"

TURN YOUR H-BAR INTO A "DELTA"

- Fits AR-15A1 and AR-15A2
- Increases accuracy, eliminates parallax
- Provides proper cheekweld
- Installs securely without alterations
- Does not impair sling use
- Shoulders easily, no change to butt cap
- Used by law enforcement

CAR-15

- Fits CAR-15 Models
- Increases accuracy on scoped rifles
- Attaches in seconds
- Lightweight– only 3.5 ounces
- Lifetime guarantee



COLT "DELTA"



CAR-15

THE FEATHERWEIGHT BIPOD

ULTRA LIGHTWEIGHT

Weighs only 5.7 ounces. Half the weight of the competition. Rifle points faster and can be carried further with less fatigue.

RUGGED

Hardened 4140 steel construction. Epoxy filament wound fiberglass legs. Steel parts parkerized to prevent rust.

CONSISTENT ACCURACY

Doesn't attach to rifle barrel, hence doesn't affect point of bullet impact.

COMPACT

Less likely to snag on brush. Folded frontal cross section 4.5 times smaller than the Harris bipod.

SIMPLE OPERATION

Deploys and folds in one movement.

SILENT

Deploys and folds without spring noises. Won't frighten off game.

ADJUSTABLE

Self adjusting for terrain slope through 33 degree angle.

VERSATILE

Adapts to all bolt action sporters at sling swivel, yet retains the sling swivel. Adapters for military rifles. Can be inlet into forearms of some sporter rifle stocks.

ATTRACTIVE

With the advent of the Glaser Featherweight Bipod, one can now have the exquisite wooden stock with an attractively designed bipod of such light weight that it actually adds to the beauty of the entire rifle. At last, a bipod that complements any stock/action that you desire.

LIFETIME GUARANTEE

Glaser, Inc. guarantees all parts of their bipod for life, to the holder of the original customer invoice.



RETAIL PRICE LIST

UPC/SKU#	PKGING	DESCRIPTION	PRICE
		GLASER SAFETY SLUG - BLUE (#12)	
00200	6 rounds	25 ACP	16.25
00400	"	32 ACP	16.60
00600	"	380 ACP	16.95
01000	"	9MM + P	17.85
01400	"	38 Super	17.85
01800	"	38 Special Standard	17.85
02200	"	38 Special + P	17.85
02600	"	357 Magnum	18.65
03000	"	40 S&W	19.65
03400	"	10MM	19.90
03800	"	44 Special	19.00
04200	"	44 Magnum	21.10
04600	"	45 ACP + P	20.10
05000	"	45 Colt	19.50
05400	"	223	20.55
05600	"	7.62 x 39	22.60
05800	"	308	26.75
06000	"	30-06	26.75
		GLASER SAFETY SLUG - SILVER (#6)	
00800	6 rounds	380 ACP	16.95
01200	"	9MM + P	17.85
01600	"	38 Super	17.85
02000	"	38 Special Standard	17.85
02400	"	38 Special +P	17.85
02800	"	357 Magnum	18.65
03200	"	40 S&W	19.65
03600	"	10MM	19.90
04000	"	44 Special	19.00
04400	"	44 Magnum	21.10
04800	"	45 ACP + P	20.10
05200	"	45 Colt	19.50
		ACCESSORIES	
06200	Each	DLTCK- Delta Cheek Piece	72.05
06800	"	***NEW***- MG-42 - Stock for Ruger 10/22™	129.95
07000	"	CAR15 - CAR 15 Cheek Piece	34.35
07400	"	BIPBL - Featherweight Bipod	72.05
07450	"	CHANL - Bipod Channel Mount	25.75

ACCESSORIES

MG42 KIT

DRESS UP YOUR RUGER 10/22™ WITH THE MG-42 STOCK KIT!

With only the simplest of tools and less than 10 minutes, you can assemble this 2/3 replica, WWII MG-42, using your Ruger 10/22™ and our stock kit.

The lightweight stock fully encloses the receiver and barrel of the 10/22™, maintaining an excellent balance and giving the feel and appearance of a totally new gun. Ventilation slots in the barrel shroud provide barrel cooling just like the original MG-42. Fully assembled, your new MG-42 weighs no more than the old 10/22™.

The MG-42 kit incorporates front and rear sights, with both windage and elevation adjustments. A scope mount option will be available in the Spring of 1994.

For a final authentic touch, add the Featherweight Bipod to your new MG-42. With the enhancement of accurate prone and bench shooting, the bipod will complete the MG-42 transformation, just short of the actual 8mm machine gun belt!

(Requires no alterations to the 10/22™ and the old stock can be replaced in minutes.)



Bipod sold separately

GLASER SAFETY SLUG, INC.
P.O. Box 8223
Foster City, CA 94404

BULK RATE
U.S. POSTAGE
PAID
PERMIT 113
BURLINGAME, CA